

ST PRO Aluminium Sdn Bhd

ALUMINIUM ALLOYS - AA6063, AA6061, AA6082, A6005A (TEMPERS F, T4, T5, T6)

ALUMINIUM EXTRUDED SHAPES - IN MILL FINISH & ANODISED FINISHES.

TYPE OF PRODUCT - STANDARD GEOMETRIC		
	ITEM	PAGE
1	Equal Angle	1 - 5
2	Unequal Angle	6 - 8
3	Square Bars	9
4	Hexagon Bars	9
5	Flat Bar	10 - 13
6	Flat Bar Radius	14
7	Round Bar	15
8	Open Back	16
9	Channels	17 - 19
10	Round Tube	20 - 25
11	Square Hollow	26 - 28
12	Rectangular Hollow	29 - 33
13	T Bar	34


All section in this catalogue would be extruded in compliance with the specifications of Aluminium Association of U.S.A except those marked*.

These drawings are approximately only, meant for purchasing purpose only. Kindly contact our sales representatives when ordering.

All profile presented herein are subject to change, modification and or withdrawal without prior notice.

ST PRO ALUMINIUM SDN BHD


EQUAL ANGLE



SECTION NO.	A SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
A 309	0.38	9.53	0.90	38.1	0.044
EA0910	0.38	9.53	1.00	38.1	0.049
A 1216	0.47	12.00	1.60	48.0	0.097
A 409	0.50	12.70	0.90	50.8	0.060
A 410	0.50	12.70	1.00	50.8	0.066
A411	0.50	12.70	1.10	51.0	0.072
EA0412	0.50	12.70	1.20	50.8	0.078
A 415	0.50	12.70	1.50	50.8	0.097
EA0416	0.50	12.70	1.57	50.8	0.102
A 420	0.50	12.70	2.00	50.8	0.127
EA6004	0.50	12.70	2.59	50.8	0.160
EA6006	0.63	15.88	0.90	63.5	0.075
EA0510	0.63	15.88	1.00	62.9	0.083
A 10547	0.75	19.00	2.00	76.0	0.195
A 086	0.75	19.05	0.90	76.2	0.091
A 610	0.75	19.05	1.00	29.8	0.101
EA6013	0.75	19.05	1.50	76.2	0.149
A 1916	0.75	19.05	1.57	76.2	0.155
EA0616	0.75	19.05	1.59	76.2	0.157
EA6014	0.75	19.05	1.80	76.2	0.177
EA1920	0.75	19.05	2.00	76.2	0.196
EA6016	0.75	19.05	2.80	76.2	0.268
A 049	0.75	19.05	3.00	75.4	0.285
A 013	0.75	19.05	3.18	76.2	0.301
A6020A	0.76	19.30	2.00	77.2	0.198
A20201665	0.79	20.00	1.60	80.0	0.167
A 20203	0.79	20.00	3.00	80.0	0.299
A2215	0.87	22.20	1.50	88.9	0.174
EA2208	0.88	22.23	0.80	88.9	0.095
EA2316	0.91	23.00	1.60	92.0	0.193
EA2318	0.91	23.00	1.80	92.0	0.216
30690	0.93	23.50	0.80	93.4	0.100
EA2408	0.94	24.00	0.75	96.0	0.096
MEA0811	0.98	25.00	1.10	101.6	0.148
A 25251665	0.98	25.00	1.60	100.0	0.210
A2525365	0.98	25.00	3.00	100.0	0.382
EA6062	1.00	25.40	0.75	101.0	0.102
EA0808	1.00	25.40	0.80	101.6	0.109
A 1109	1.00	25.40	0.90	101.6	0.122
A 110	1.00	25.40	1.00	101.6	0.135
EA2515	1.00	25.40	1.50	101.6	0.201
A 061	1.00	25.40	1.59	101.6	0.212

ST PRO ALUMINIUM SDN BHD


EQUAL ANGLE



SECTION NO.	A SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
EA0816	1.00	25.40	1.60	101.6	0.212
A 2520	1.00	25.40	1.90	101.6	0.252
EA6026	1.00	25.50	1.98	101.6	0.262
EA0820	1.00	25.40	2.00	101.6	0.264
A11560	1.00	25.40	2.20	102.0	0.300
ME075-03	1.00	25.40	2.30	101.6	0.302
EA0825	1.00	25.40	2.50	101.6	0.328
EA6027	1.00	25.40	2.80	101.6	0.364
A 830	1.00	25.40	3.00	101.6	0.389
EA2531	1.00	25.40	3.18	101.6	0.410
A141-03	1.09	27.70	2.30	110.8	0.331
A 3175	1.25	31.75	0.90	127.0	0.153
EA1010	1.25	31.75	1.00	127.0	0.169
EA3113	1.25	31.75	1.30	127.0	0.219
EA6033	1.25	31.75	1.57	127.0	0.263
A 023	1.25	31.75	1.59	126.4	0.266
A609	1.25	31.75	4.75	127.0	0.756
EA1032	1.25	31.75	3.18	127.0	0.520
A3216	1.26	32.00	1.60	128.0	0.271
A323220	1.26	32.00	2.00	128.0	0.336
A3232365	1.26	32.00	3.00	128.0	0.496
A3318	1.33	33.90	1.80	135.6	0.322
A3328	1.33	33.90	2.80	135.6	0.493
A3330	1.33	33.90	3.00	135.6	0.527
A3438	1.34	34.00	3.80	136.8	0.660
A35352	1.38	35.00	2.00	140.0	0.369
A3610	1.42	36.00	0.90	144.0	0.173
A 3818	1.50	38.00	1.75	152.0	0.350
A 1425	1.50	38.00	2.50	152.0	0.498
A 3828	1.50	38.00	2.80	152.0	0.557
A 3809	1.50	38.10	0.90	152.4	0.184
EA6037	1.50	38.10	1.00	152.4	0.204
EA3812	1.50	38.10	1.20	152.4	0.244
A 1008	1.50	38.10	1.50	151.6	0.303
A 8401	1.50	38.10	1.59	152.4	0.322
EA1216	1.50	38.10	1.60	152.4	0.317
EA1218	1.50	38.10	1.80	152.4	0.363
A 10304	1.50	38.10	1.90	151.6	0.380
A 1420	1.50	38.10	2.00	152.4	0.402
A 38236	1.50	38.10	2.36	152.4	0.472
A 1002	1.50	38.10	2.50	152.4	0.499
EA6040	1.50	38.10	2.80	152.4	0.557

ST PRO ALUMINIUM SDN BHD


EQUAL ANGLE



SECTION NO.	A SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
A 1430	1.50	38.10	3.00	152.4	0.595
EA1232	1.50	38.10	3.18	152.4	0.629
A38104	1.50	38.10	4.00	152.0	0.783
A1448	1.50	38.10	4.75	152.0	0.920
EA6042	1.50	38.10	6.00	152.4	1.141
A 40401665	1.57	40.00	1.60	160.0	0.340
A 4040365	1.57	40.00	3.00	160.0	0.626
A4040665	1.57	40.00	6.00	160.0	1.203
A4604	1.81	46.00	4.00	184.0	0.954
A 50501665	1.97	50.00	1.60	200.0	0.427
A 5050365	1.97	50.00	3.00	200.0	0.789
A 1001	1.97	50.00	4.50	200.0	1.165
33567	1.97	50.00	5.00	199.4	1.292
A 5050665	1.97	50.00	6.00	200.0	1.528
32242	1.99	50.60	6.30	201.8	1.626
A161610	2.00	50.80	1.00	203.0	0.273
EA5011	2.00	50.80	1.10	203.2	0.300
EA5012	2.00	50.80	1.20	203.2	0.327
EA6043	2.00	50.80	1.50	203.2	0.407
EA5015	2.00	50.80	1.53	203.2	0.415
A 8404	2.00	50.80	1.58	203.2	0.428
A 1024	2.00	50.80	1.90	203.2	0.513
EA6045	2.00	50.80	2.00	203.2	0.540
EA5023	2.00	50.80	2.36	203.2	0.635
EA1625	2.00	50.80	2.50	203.2	0.672
A 5026	2.00	50.80	2.60	202.4	0.697
A 5028	2.00	50.80	2.80	203.2	0.750
A 2030	2.00	50.80	3.00	203.2	0.802
EA5031	2.00	50.80	3.18	203.2	0.848
EA6059	2.00	50.80	4.00	203.2	1.058
EA6063	2.00	50.80	4.50	202.1	1.185
EA1650	2.00	50.80	5.00	203.2	1.287
36135	2.00	50.80	5.90	202.1	1.533
A54635	2.13	53.98	6.35	215.9	1.750
A60603	2.36	60.00	3.00	240.0	0.947
EA6058	2.36	60.00	4.50	240.0	1.409
EA2020	2.50	63.50	2.00	254.0	0.678
32355	3.00	76.20	3.00	304.2	1.219
32243	3.00	76.20	6.00	304.2	2.389
OEA6013	3.15	80.00	6.00	319.4	2.504
A 4420	3.94	100.00	2.00	400.0	1.073
OEA6014	3.94	100.00	6.00	398.7	3.165


ST PRO ALUMINIUM SDN BHD

EQUAL ANGLE



SECTION NO.	A SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
EA3230	4.00	101.60	3.00	406.4	1.628
A4450	4.00	101.60	4.50	406.4	2.423
A3260	4.00	101.60	6.00	406.4	3.206
EA6064	5.91	150.00	6.00	599.2	4.798


ST PRO ALUMINIUM SDN BHD



UNEQUAL ANGLE

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
UA030612	0.38	9.53	0.75	19.05	1.20	55.4	0.089
UA101913	0.39	10.00	0.75	19.00	1.30	57.4	0.097
UA3512	0.39	10.00	1.38	35.00	1.20	90.0	0.142
MUA040620	0.47	12.00	0.75	19.00	2.00	62.0	0.157
OUA7001	0.47	12.00	0.79	20.00	1.60	63.4	0.132
UA 007	0.47	12.00	0.79	20.00	2.00	64.0	0.163
UA122514	0.47	12.00	0.98	25.00	1.40	74.0	0.135
UA122516	0.47	12.00	0.98	25.00	1.60	74.0	0.153
UA12253	0.47	12.00	0.98	25.00	3.00	74.0	0.276
UA124016	0.47	12.00	1.57	40.00	1.60	104.0	0.218
UA 095	0.48	12.30	0.86	21.90	1.70	68.4	0.150
UA040608	0.50	12.70	0.75	19.05	0.80	63.5	0.069
UEA7003	0.50	12.70	0.75	19.05	1.00	63.5	0.083
UA 4612	0.50	12.70	0.75	19.05	1.20	63.5	0.099
11547	0.50	12.70	0.75	19.05	1.59	64.0	0.130
UA4620	0.50	12.70	0.75	19.05	2.00	64.0	0.161
UA005	0.50	12.70	0.88	22.00	1.97	69.4	0.175
UA1004	0.50	12.70	0.88	22.00	3.00	69.4	0.258
UA122508	0.50	12.70	1.00	25.40	0.80	76.2	0.083
UA040810	0.50	12.70	1.00	25.40	1.00	76.2	0.101
UA 1512	0.50	12.70	1.00	25.40	1.20	76.2	0.120
UA1018	0.50	12.70	1.00	25.40	1.50	76.0	0.149
UEA7008	0.50	12.70	1.00	25.40	1.90	76.2	0.186
UA040820	0.50	12.70	1.00	25.40	2.00	76.2	0.196
11394	0.50	12.70	1.00	25.40	6.00	75.4	0.522
UA041010	0.50	12.70	1.25	31.75	1.00	88.9	0.118
UA 41409	0.50	12.70	1.50	38.10	0.90	101.6	0.122
UA041210	0.50	12.70	1.50	38.10	1.00	101.6	0.135
UA 1559	0.50	12.70	1.50	38.10	1.20	101.6	0.161
UA041213	0.50	12.70	1.50	38.10	1.27	101.6	0.171
UA125009	0.50	12.70	2.00	50.80	0.90	127.0	0.153
UA041613	0.50	12.70	2.00	50.80	1.30	127.0	0.214
UA10548	0.51	13.00	0.98	25.00	2.00	76.0	0.195
UA10549	0.51	13.00	0.98	25.00	3.00	76.0	0.285
UA1113	0.55	14.00	0.79	20.00	2.00	68.0	0.173
UA6610	0.57	14.50	0.65	16.50	1.50	62.3	0.120
UA01	0.70	17.76	1.00	25.40	2.00	86.3	0.223
UA172516	0.71	17.95	1.01	25.65	1.60	87.2	0.182
UEA7019	0.75	19.00	1.00	25.40	2.00	88.0	0.228
UA193824	0.75	19.05	1.50	38.10	2.40	114.3	0.356
UEA7022	0.75	19.05	1.50	38.10	2.80	114.3	0.412
UA061232	0.75	19.05	1.50	38.10	3.20	114.3	0.464
UA 02	0.77	19.66	1.08	27.30	1.90	93.9	0.232


ST PRO ALUMINIUM SDN BHD



UNEQUAL ANGLE

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	MM	MM	Kg/m
UA075-02	0.78	19.76	1.09	27.70	2.30	94.9	0.281
UA192716	0.78	19.90	1.08	27.50	1.60	94.8	0.199
OUA7003	0.79	20.00	0.98	25.00	1.60	89.4	0.188
UA 25201665	0.79	20.00	0.98	25.00	1.60	90.0	0.188
UA20253	0.79	20.00	0.98	25.00	3.00	90.0	0.340
11561	0.79	20.00	1.10	28.00	2.20	96.0	0.280
UA32201665	0.79	20.00	1.26	32.00	1.60	104.0	0.219
UA204016	0.79	20.00	1.57	40.00	1.60	120.0	0.253
UA20403	0.79	20.00	1.57	40.00	3.00	120.0	0.461
UA32253	0.98	25.00	1.25	32.00	3.00	114.0	0.437
UA119-06	0.98	25.00	1.49	38.00	0.90	126.0	0.151
UA 38251	0.98	25.00	1.49	38.00	1.00	126.0	0.168
UA254016	0.98	25.00	1.57	40.00	1.60	130.0	0.275
UA4025365	0.98	25.00	1.57	40.00	3.00	130.0	0.504
UA502516	0.98	25.00	1.97	50.00	1.60	150.0	0.318
UA5025365	0.98	25.00	1.97	50.00	3.00	150.0	0.585
OUA7010	0.98	25.00	2.76	70.00	1.60	189.4	0.405
UA546	1.00	25.40	1.25	31.75	3.00	114.3	0.440
UA 11415	1.00	25.40	1.50	38.10	1.50	126.4	0.252
UA081216	1.00	25.40	1.50	38.10	1.57	127.0	0.263
UEA7046	1.00	25.40	1.50	38.10	2.00	127.0	0.333
UEA7026	1.00	25.40	1.50	38.10	2.80	127.0	0.461
UA8155	1.00	25.40	1.50	38.10	4.75	127.0	0.756
UA081610	1.00	25.40	2.00	50.80	1.00	152.4	0.204
UA 1209	1.00	25.40	2.00	50.80	0.90	152.4	0.184
UEA7028	1.00	25.40	2.00	50.80	1.10	152.4	0.225
UA255015	1.00	25.40	2.00	50.80	1.53	152.4	0.310
UA081616	1.00	25.40	2.00	50.80	1.57	152.4	0.317
UEA7029	1.00	25.40	2.00	50.80	1.60	152.4	0.324
UEA7030	1.00	25.40	2.00	50.80	2.00	152.4	0.402
UA081628	1.00	25.40	2.00	50.80	2.80	152.4	0.557
UEA7044	1.00	25.40	2.00	50.80	3.00	151.3	0.595
UA 0054	1.00	25.40	2.00	50.80	3.18	152.4	0.629
UA257615	1.00	25.40	3.00	76.20	1.53	203.2	0.415
UA082412	1.00	25.40	3.00	76.20	1.20	203.2	0.327
UA1030	1.00	25.40	3.00	76.20	1.90	203.0	0.513
UEA7031	1.00	25.40	3.00	76.20	2.00	203.2	0.540
UA082420	1.00	25.40	3.00	76.20	2.00	203.2	0.540
UA050	1.00	25.40	3.00	76.20	2.80	203.2	0.750
UA1126	1.00	25.40	3.00	76.20	3.18	203.2	0.848
UEA7032	1.00	25.40	3.15	80.00	1.20	210.8	0.339
UA259315	1.00	25.40	3.69	93.60	1.57	238.0	0.501
33233	1.00	25.40	4.00	101.60	2.80	253.4	0.946


ST PRO ALUMINIUM SDN BHD



UNEQUAL ANGLE


SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
UEA7033	1.00	25.40	4.06	103.00	1.30	256.8	0.448
UA4530	1.18	30.00	1.77	45.00	4.50	150.0	0.860
34136	1.18	30.00	2.83	72.00	3.00	203.6	0.807
UA 547	1.25	31.75	1.50	38.10	3.00	139.7	0.543
UA1453	1.30	33.00	2.50	63.50	1.90	194.0	0.490
32668	1.38	35.00	3.93	100.00	5.00	268.5	1.852
UA7037	1.49	38.00	3.00	76.20	2.00	228.4	0.608
UA 21430	1.50	38.10	2.00	50.80	3.00	177.8	0.698
UA1002	1.50	38.10	3.00	76.20	1.90	227.7	0.576
UEA7037	1.50	38.10	3.00	76.20	2.00	228.6	0.609
UA 704015	1.57	40.00	2.76	70.00	1.50	220.0	0.441
UA 75503	1.97	50.00	2.95	75.00	3.00	250.0	0.992
33605	1.97	50.00	2.95	75.00	4.50	250.0	1.475
UA 755045	1.97	50.00	2.95	75.00	4.50	250.0	1.469
UA162450	1.97	50.00	2.99	76.00	5.00	252.0	1.640
UA10050365	1.97	50.00	3.93	100.00	3.00	300.0	1.195
UA163250	1.97	50.00	3.93	100.00	5.00	300.0	1.965
UA2461	1.97	50.00	3.93	100.00	9.50	300.0	3.617
UA2320	2.00	50.80	3.00	76.20	2.00	254.0	0.678
UEA7041	2.00	50.80	3.00	76.20	2.90	254.0	0.975
UA507631	2.00	50.80	3.00	76.20	3.18	254.0	1.067
UEA7043	2.00	50.80	3.00	76.20	5.00	254.0	1.653
UA507663	2.00	50.80	3.00	76.20	6.35	254.0	2.076
UA5152	2.00	50.80	4.00	101.60	2.00	304.8	0.815
33196	2.00	50.80	4.00	101.60	5.00	304.0	2.004
33193	2.00	50.80	6.00	152.40	3.00	405.0	1.639
UA7042	2.01	51.00	3.00	76.25	3.00	254.5	1.010
UA 6114	2.62	66.50	1.57	40.00	1.50	213.0	0.427
UEA7045	2.95	75.00	4.92	125.00	6.00	399.2	3.166
33060	3.93	100.00	4.92	125.00	6.00	448.9	3.568

ST PRO ALUMINIUM SDN BHD



SQUARE BARS

SECTION NO.	T SIZE		PERIMETER	WEIGHT
	INCH	MM		
MSB535	0.25	6.35	25.4	0.109
34175	0.35	9.00	36.0	0.220
MSB46984/A	0.55	14.00	56.0	0.531
MSB1905	0.75	19.05	76.2	0.983
36418	1.75	44.45	176.9	5.359
01733	2.25	57.15	227.7	8.860
36183	2.00	50.80	203.2	7.000
01738	2.36	60.00	239.1	9.765
01719	2.50	63.50	253.1	10.937
01740	2.62	66.68	265.9	12.060
01731	2.75	70.00	279.1	13.291
01720	3.00	76.20	303.9	15.750
01741	3.25	82.55	329.3	18.485
01724	3.50	88.90	354.7	21.438
01749	3.93	100.00	399.1	27.126
01746	4.00	101.60	405.5	28.001
01744	4.50	114.30	456.3	35.438
01747	5.00	127.00	507.1	43.751
01745	5.11	130.00	519.1	45.843




HEXAGON BARS


SECTION NO.	T SIZE		PERIMETER	WEIGHT
	INCH	MM		
12694	0.31	8.00	27.4	0.150
12695	0.37	9.53	32.7	0.213
32034	0.50	12.70	43.7	0.379
12691	0.66	17.00	58.6	0.679
32029	0.74	19.00	65.5	0.848
12690	1.75	44.45	153.7	46.41

ST PRO ALUMINIUM SDN BHD


FLAT BAR



SECTION NO.	A SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
MFB 8769	0.24	6.00	2.00	16.0	0.033
MFB 770	0.25	6.35	3.18	19.1	0.055
MFB331	0.37	9.53	3.18	25.4	0.082
FB1229	0.37	12.00	2.90	29.8	0.094
FB1078	0.37	12.00	3.00	30.0	0.098
MFB1260	0.47	12.00	6.00	35.5	0.195
FB1002	0.50	12.70	1.00	26.9	0.034
FB1003	0.50	12.70	1.50	28.4	0.052
FB0416	0.50	12.70	1.60	28.6	0.055
FB0432	0.50	12.70	3.18	31.8	0.109
FB0460	0.50	12.70	6.00	37.4	0.207
34171	0.55	13.00	9.00	44.0	0.318
FB1427	0.58	14.70	2.70	33.8	0.107
33195	0.59	15.00	3.00	35.5	0.123
MFB8003	0.63	15.88	1.59	34.9	0.068
MFB1624	0.63	16.00	2.40	36.8	0.104
MFB 183	0.71	18.00	3.00	41.5	0.146
MFB1012	0.74	18.80	2.80	42.3	0.143
FB1928	0.75	19.00	2.80	43.6	0.144
MFB 195	0.75	19.00	5.00	48.0	0.257
FB0610	0.75	19.05	1.00	40.1	0.052
MFB 612	0.75	19.05	1.20	40.5	0.062
MFB 615	0.75	19.05	1.50	41.1	0.077
MFB 616	0.75	19.05	1.59	41.3	0.082
MFB002	0.75	19.05	2.80	43.7	0.145
MFB 631	0.75	19.05	3.18	44.5	0.164
33218	0.75	19.05	4.75	47.6	0.246
FB0664	0.75	19.05	6.35	50.8	0.328
FB1911	0.75	19.08	1.10	40.4	0.057
FB1021	0.79	20.00	2.00	44.0	0.109
OFB1001	0.79	20.00	3.00	45.5	0.162
31637	0.81	20.60	11.60	64.4	0.650
30071	0.79	24.00	10.00	60.0	0.651
MFB1023	0.98	25.00	3.00	56.0	0.203
MFB 6254	0.98	25.00	6.00	62.0	0.407
MFB 2510	1.00	25.40	1.00	52.3	0.069
MFB2512	1.00	25.40	1.20	53.2	0.083
FB2513	1.00	25.40	1.30	53.4	0.090
FB1024	1.00	25.40	1.50	53.8	0.103
MFB 2542	1.00	25.40	2.00	54.8	0.138
FB2528	1.00	25.40	2.80	56.4	0.193
FB1028	1.00	25.40	3.00	56.8	0.207




SECTION NO.	A SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
MFB 02	1.00	25.40	3.18	57.2	0.219
FB1139	1.00	25.40	4.50	60.0	0.310
MFB2550	1.00	25.40	4.75	60.3	0.327
MFB1035	1.00	25.40	6.00	62.8	0.413
FB0864	1.00	25.40	6.35	63.5	0.437
31270	1.02	25.85	9.50	63.3	0.456
FB1038	1.18	30.00	2.00	63.9	0.163
FB30x6	1.18	30.00	6.00	72.0	0.488
FB3010	1.18	30.00	10.00	80.0	0.813
33442	1.24	31.50	1.55	68.6	0.258
FB1016	1.25	31.75	1.59	66.7	0.137
FB1067	1.25	31.75	3.00	68.6	0.258
FB1042	1.25	31.75	4.50	72.5	0.387
FB1043	1.25	31.75	6.00	75.5	0.516
FB1060	1.25	31.75	6.00	75.5	0.516
OFB1003	1.26	32.00	3.00	69.5	0.260
MFB6324	1.26	32.00	6.00	76.0	0.520
MFB10324	1.26	32.00	10.00	84.0	0.867
MFB1309	1.34	34.00	5.00	78.0	0.461
MFB610	1.38	35.00	2.10	74.2	0.199
35168	1.43	36.20	6.50	85.4	0.640
FB1210	1.50	38.00	1.00	78.0	0.103
FB3812	1.50	38.10	1.20	78.6	0.124
33219	1.50	38.10	1.55	79.3	0.160
MFB 3816	1.50	38.10	1.60	79.4	0.165
FB1047	1.50	38.10	3.00	82.2	0.310
32102	1.50	38.10	3.20	82.6	0.332
FB1049	1.50	38.10	4.50	85.2	0.465
MFB 3848	1.50	38.10	4.75	85.2	0.490
FB1068	1.50	38.10	6.00	87.3	0.619
FB3863	1.50	38.10	6.35	88.9	0.656
34168	1.50	38.10	12.70	99.9	1.314
FB1072	1.50	38.10	31.75	138.8	3.281
OFB1004	1.57	40.00	3.00	85.5	0.325
OFB1005	1.57	40.00	6.00	91.5	0.650
OFB1006	1.57	40.00	10.00	99.5	1.084
MFB4230	1.65	42.00	3.00	90.0	0.341
FB1430	1.75	44.45	3.00	94.0	0.361
FB1054	1.75	44.45	6.00	100.9	0.723
FB1077	1.75	44.45	6.35	102.0	0.768
MFB039	1.77	45.00	5.00	100.0	0.610
MFB4950	1.93	49.00	5.00	108.0	0.664




SECTION NO.	A SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
MFB 5016	1.97	50.00	1.60	103.2	0.217
FB1076	1.97	50.00	2.00	104.0	0.272
OFB1007	1.97	50.00	3.00	105.5	0.406
OFB1019	1.97	50.00	5.00	109.1	0.678
34165	1.97	50.00	5.00	110.0	0.679
OFB1008	1.97	50.00	6.00	111.5	0.813
MFB508	1.97	50.00	8.00	116.0	1.084
30965	1.97	50.00	9.50	116.4	1.287
MFB 10504	1.97	50.00	10.00	120.0	1.355
OFB1018	1.97	50.00	25.00	149.1	3.388
FB1610	2.00	50.80	1.00	103.6	0.138
FB5013	2.00	50.80	1.30	104.2	0.179
FB1616	2.00	50.80	1.59	104.8	0.219
FB1059	2.00	50.80	3.00	107.6	0.413
FB1140	2.00	50.80	4.50	111.0	0.620
FB1660	2.00	50.80	6.00	113.6	0.826
MFB 8016	2.00	50.80	6.35	114.3	0.874
MFB1009	2.00	50.80	9.00	119.6	1.239
MFB 8017	2.00	50.80	9.53	120.7	1.312
FB1073	2.00	50.80	31.75	164.2	4.375
OFB1010	2.36	60.00	3.00	125.5	0.488
OFB1016	2.36	60.00	6.00	132.0	0.976
33440	2.38	60.50	2.00	124.5	0.329
FB1064	2.50	63.50	6.00	139.0	1.033
FB2032	2.50	63.50	3.18	132.8	0.547
FB1075	2.50	63.50	12.70	151.5	2.187
FB1074	2.50	63.50	31.75	189.6	5.468
33425	2.50	63.50	32.00	189.3	5.525
MFB 653	2.56	65.00	3.00	136.0	0.528
MFB593	2.76	70.00	2.00	144.0	0.379
34103	2.76	70.00	8.00	156.0	1.523
MFB71560	2.81	71.50	6.00	155.0	1.163
MFB2070	2.95	75.00	3.00	156.0	0.652
FB2411	3.00	76.20	1.10	154.2	0.226
FB2413	3.00	76.20	1.30	155.0	0.277
FB2415	3.00	76.20	1.50	155.4	0.309
MFB 3032	3.00	76.20	3.18	158.8	0.657
FB1065	3.00	76.20	6.00	164.4	1.240
FB7663	3.00	76.20	6.35	165.1	1.311
FB2496	3.00	76.20	9.53	170.9	1.965
FB1066	3.00	76.20	12.70	176.9	2.625
FB1070	3.00	76.20	25.40	202.3	5.250

ST PRO ALUMINIUM SDN BHD

FLAT BAR




SECTION NO.	A SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
MFB3804	3.15	80.00	3.00	166.0	0.650
MFB2545	3.15	80.00	4.50	169.0	0.976
MFB6804	3.15	80.00	6.00	172.0	1.301
OFB1017	3.15	80.00	8.00	176.0	1.735
MFB3479	3.15	80.00	20.00	200.0	4.336
MFB2775	3.43	87.00	3.00	180.0	0.707
FB1069	3.50	88.90	6.35	189.6	1.531
OFB1012	3.94	100.00	1.50	202.5	0.406
MFB10016	3.94	100.00	1.60	203.2	0.434
MFB10020	3.94	100.00	2.00	204.0	0.542
OFB1013	3.94	100.00	3.00	205.5	0.813
MFB 0002	3.94	100.00	5.00	210.4	1.409
MFB 61004	3.94	100.00	6.00	212.0	1.626
MFB101004	3.94	100.00	10.00	220.0	2.710
MFB10025	3.94	100.00	25.00	174.2	7.120
FB3212	4.00	101.60	1.20	205.6	0.330
FB3229	4.00	101.60	2.90	209.0	0.798
MFB4032	4.00	101.60	3.18	209.6	0.876
FB3260	4.00	101.60	6.00	215.2	1.653
FB10163	4.00	101.60	6.35	215.9	1.750
FB3295	4.00	101.60	9.50	222.2	2.616
MFB1164	4.57	116.00	4.00	240.0	1.257
30858	5.00	127.00	6.00	265.1	2.072
MFB1276	5.00	127.00	6.00	266.0	2.065
FB1071	5.00	127.00	25.40	303.9	8.748
MFB15018	5.91	150.00	1.80	303.6	0.732
MFB 1502	5.91	150.00	3.00	306.0	1.220
32710	5.91	150.00	4.00	308.0	1.630
FB1079	5.91	150.00	10.00	320.0	4.080
FB16009	6.30	160.00	9.00	338.0	3.903
36136	8.00	203.20	12.70	430.9	7.009



SECTION NO.	A SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
01265	0.78	20.00	3.00	43.4	0.158
01266	0.98	25.00	4.00	54.6	0.262
01263	1.18	30.00	5.00	65.7	0.392
01267	1.18	30.00	6.00	66.9	0.467
01165	1.57	40.00	3.00	83.4	0.320
01264	1.57	40.00	5.00	85.7	0.528
01285	1.57	40.00	6.00	86.9	0.630
01320	1.77	45.00	6.00	96.9	0.711
01233	1.97	50.00	3.00	103.4	0.402
01232	1.97	50.00	6.00	106.9	0.793
01113	1.97	50.00	7.00	108.0	0.921
01112	1.97	50.00	10.00	111.4	1.298
01142	2.16	55.00	3.00	113.4	0.442
01292	2.16	55.00	6.00	116.9	0.874
01322	2.36	60.00	6.00	126.9	0.956
01234	2.95	75.00	3.00	153.4	0.605
01237	2.95	75.00	6.00	156.9	1.200
01245	3.94	100.00	3.00	203.4	0.809
01246	3.94	100.00	6.00	206.9	1.607
01111	3.94	100.00	12.00	213.7	3.171
01321	4.33	110.00	6.00	226.9	1.769
01258	4.72	120.00	10.00	251.4	3.197
01235	4.92	125.00	3.00	253.4	1.012
01236	4.92	125.00	4.50	255.1	1.514
01247	4.92	125.00	6.00	256.9	2.014
01106	5.51	140.00	4.00	284.6	1.510
01268	5.51	140.00	6.00	286.9	2.258
01259	5.51	140.00	10.00	291.4	3.739
01277	5.91	150.00	3.00	303.4	1.215
01241	5.91	150.00	5.00	305.7	2.020
01319	5.91	150.00	6.00	306.9	2.420
01318	6.49	165.00	6.00	336.9	2.665
01278	6.89	175.00	6.00	356.9	2.827
14088	7.28	185.00	6.00	376.9	2.990
01248	7.87	200.00	6.00	406.9	3.234
01195	8.66	220.00	6.00	446.9	3.560
01185	9.06	230.00	6.00	466.9	3.722

ST PRO ALUMINIUM SDN BHD




ROUND BARS


SECTION NO.	T SIZE		PERIMETER	WEIGHT
	INCH	MM	MM	Kg/m
RB 020	0.08	2.00	6.3	0.008
RB500	0.20	5.00	15.7	0.053
RB9001	0.24	6.00	18.9	0.077
RB 6035	0.25	6.35	20.0	0.086
RB 700	0.28	7.00	22.0	0.116
RB529	0.29	7.40	23.3	0.117
RB 495C	0.30	7.50	23.6	0.123
RB8	0.35	9.00	28.3	0.172
RB 095	0.37	9.50	29.8	0.202
RB9018	0.39	10.00	31.4	0.213
RB1050	0.41	10.50	33.0	0.235
RB1120	0.44	11.20	35.2	0.267
RB531	0.45	11.52	36.2	0.296
RB 04	0.50	12.70	39.9	0.343
RB1390	0.55	13.90	43.7	0.411
RB05	0.63	15.88	49.9	0.537
RB 16	0.63	16.00	50.3	0.545
RB 1905	0.75	19.05	59.9	0.772
RB21	0.83	21.00	66.0	0.938
RB 22	0.87	22.00	69.1	1.035
RB9007	1.00	25.40	79.8	1.373
RB28	1.12	28.50	89.5	1.729
RB 3175	1.25	31.75	99.8	2.210
RB365	1.44	36.50	114.7	2.836
RB12	1.50	38.10	119.7	3.090
RB9012	1.75	44.45	139.6	4.205
RB9013	2.00	50.80	159.6	5.492
RB16	2.00	50.80	159.6	5.493
RB9014	2.50	63.50	199.5	8.618
RB9015	3.00	76.20	239.4	12.403
RB9016	3.25	82.55	259.3	14.518
RB9017	4.25	107.95	339.1	24.827

ST PRO ALUMINIUM SDN BHD

OPEN BACK




SECTION NO.	A SIZE		B SIZE		C SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	INCH	MM	MM	MM	Kg/m
MOB3316	0.28	7.00	1.33	33.90	0.17	4.20	1.60	103.0	0.216
MOB28410	0.39	9.95	0.98	25.00	0.19	4.70	1.10	54.9	0.149
MOB4070	0.91	23.00	2.99	76.00	0.18	4.50	0.70	257.2	0.243
MOB5039	0.91	23.00	2.99	76.00	0.18	4.50	0.80	102.1	0.277
OB255009	1.00	25.40	2.00	50.80	0.28	7.00	0.90	225.0	0.273
OB081610	1.00	25.40	2.00	50.80	0.28	7.00	1.00	225.2	0.302
MOB12012	1.00	25.40	2.00	50.80	0.38	9.50	1.20	234.0	0.377
MOB 6539	1.00	25.40	2.00	50.80	0.38	9.60	0.90	235.8	0.285
MOB 05	1.00	25.40	2.00	50.80	0.39	10.00	1.00	237.2	0.319
MOB6518	1.00	25.40	2.00	50.80	0.39	11.00	1.50	238.2	0.478
OB256309	1.00	25.40	2.50	63.50	0.28	7.00	0.90	250.4	0.304
OB256312	1.00	25.40	2.50	63.50	0.28	7.00	1.20	249.4	0.402
MOB511	1.00	25.40	2.50	63.50	0.31	8.00	1.20	253.4	0.408
MOB 6538	1.00	25.40	2.50	63.50	0.38	9.60	0.90	261.2	0.316
OB257609	1.00	25.40	3.00	76.20	0.28	7.00	0.90	275.8	0.335
MOB 03A	1.00	25.40	3.00	76.20	0.35	9.00	1.00	284.0	0.384
MOB13012	1.00	25.40	3.00	76.20	0.37	9.50	1.20	284.8	0.459
MOB 6537	1.00	25.40	3.00	76.20	0.38	9.60	0.90	286.6	0.347
MOB1314	1.00	25.40	3.00	76.20	0.38	9.60	1.40	284.0	0.533
OB082410	1.00	25.40	3.00	76.20	0.63	15.88	1.00	310.0	0.420
MOB14105	1.00	25.40	4.00	101.60	0.37	9.50	1.05	336.5	0.476
OB2512012	1.00	25.40	4.72	120.00	0.39	10.00	0.90	275.8	0.335
MOB6519	1.57	40.00	2.00	50.80	0.50	12.70	2.00	300.4	0.803
MOB1424	1.73	44.00	2.95	75.00	0.39	10.00	1.05	359.7	0.509
MOB 6540	1.75	44.45	3.00	76.20	0.35	9.00	1.05	360.2	0.485
MOB6529	1.75	44.45	4.00	101.60	0.63	15.88	2.03	432.3	1.178
OB143213	1.75	44.45	4.00	101.60	0.67	16.90	1.30	443.9	0.779
MOB 2415	2.00	50.80	4.00	101.60	0.47	12.00	1.50	445.4	0.899



UNEQUAL CHANNELS

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	MM	MM	Kg/m
MCH685	0.20	5.00	0.45	11.40	0.90	41.0	0.048
14397	0.20	5.00	0.67	17.00	1.25	51.5	0.083
MCH372	0.35	9.00	0.65	16.50	0.75	67.5	0.067
MCH309	0.38	9.53	0.38	9.53	0.90	55.0	0.065
UC1119L	0.44	11.20	0.77	19.50	1.20	84.6	0.130
32845	0.46	11.85	0.51	12.95	0.90	70.5	0.085
MUC041609	0.47	12.00	1.97	50.00	0.90	146.2	0.176
12694	0.50	12.60	1.12	28.55	3.10	101.1	0.403
13004	0.50	12.60	1.50	38.00	1.10	124.2	0.182
MCH410	0.50	12.70	0.50	12.70	1.00	74.2	0.098
UC121908	0.50	12.70	0.75	19.05	0.80	87.3	0.093
UC8005	0.50	12.70	0.75	19.05	0.90	87.1	0.104
UC8006	0.50	12.70	1.00	25.40	0.90	99.8	0.120
UC122510	0.50	12.70	1.00	25.40	1.00	99.6	0.132
MCH 004	0.50	12.70	1.00	25.40	1.20	99.2	0.157
MCH4608	0.50	12.70	1.25	31.75	0.80	112.7	0.120
UC123110	0.50	12.70	1.25	31.75	1.00	112.3	0.149
MCH 005	0.50	12.70	1.25	31.75	1.20	111.6	0.178
MCH2278	0.50	12.70	1.37	34.80	0.90	118.6	0.142
UC123809	0.50	12.70	1.50	38.10	0.90	125.2	0.154
MCH41410	0.50	12.70	1.50	38.10	1.00	125.0	0.167
UC041211	0.50	12.70	1.50	38.10	1.10	125.0	0.184
UC041212	0.50	12.70	1.50	38.10	1.20	125.1	0.200
34170	0.50	12.70	2.00	50.80	1.00	150.4	0.202
UC125008	0.50	12.70	2.00	50.80	0.80	150.8	0.162
UC042010	0.50	12.70	2.50	63.50	1.00	175.0	0.235
M073	0.50	12.70	4.00	101.60	1.00	252.0	0.339
MCH7707	0.50	12.70	4.00	101.60	3.00	248.0	0.984
31808	0.55	14.00	0.57	14.50	1.00	83.0	0.110
UC150709	0.59	14.90	0.28	7.20	0.90	70.9	0.085
MCH1599	0.63	15.87	0.38	9.53	0.90	80.7	0.096
MCH251612	0.63	16.00	0.98	25.00	1.20	111.6	0.176
11537	0.75	19.00	3.13	79.60	1.80	231.6	0.556
MCH3675	0.75	19.05	0.38	9.53	0.75	93.8	0.094
MCH610	0.75	19.05	0.75	19.05	1.00	112.3	0.150
MCH1188	0.75	19.05	2.12	53.80	1.50	180.8	0.361
MCH022	0.79	20.00	0.79	20.00	1.50	116.2	0.231
32511	0.79	20.00	1.24	31.50	1.20	140.6	0.226
32510	0.79	20.00	1.38	35.00	1.20	147.6	0.237
14451	0.79	20.00	3.94	100.00	1.20	277.6	0.447
33220	0.83	21.00	1.38	35.00	1.50	151.4	0.284
UC081321	0.96	24.45	1.66	42.20	2.10	178.1	0.483


ST PRO ALUMINIUM SDN BHD



UNEQUAL CHANNELS


SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
33221	0.97	24.60	1.66	42.20	2.00	179.2	0.454
OUC8003	0.98	25.00	1.26	32.00	3.00	157.2	0.618
MCH1220	0.98	25.00	1.97	50.00	2.00	196.0	0.520
33301	0.98	25.00	2.99	76.00	1.00	249.0	0.336
MCH382514	0.98	25.00	1.50	38.00	1.40	173.2	0.323
UC253820	0.98	25.00	1.50	38.00	2.00	172.0	0.455
MCH532515	0.98	25.00	2.09	53.00	1.50	203.0	0.406
MCH782515	0.98	25.00	3.07	78.00	1.50	253.0	0.508
ME8320	0.98	25.00	4.20	106.80	1.90	309.8	0.788
UC251913	1.00	25.40	0.75	19.03	1.30	137.1	0.237
UC080615	1.00	25.40	0.75	19.05	1.50	136.7	0.272
MCH2510	1.00	25.40	1.00	25.40	1.00	150.4	0.201
MCH7000	1.00	25.40	1.50	38.10	2.00	173.8	0.460
MCH11424	1.00	25.40	1.50	38.10	2.40	173.0	0.547
UC081225	1.00	25.40	1.50	38.10	2.50	172.8	0.568
UC081228	1.00	25.40	1.50	38.10	2.80	172.8	0.632
LU217	1.00	25.40	2.00	50.80	0.95	198.0	0.254
UC255010	1.00	25.40	2.00	50.80	1.00	201.2	0.270
UC8022	1.00	25.40	2.00	50.80	1.20	200.8	0.323
UC8023	1.00	25.40	2.00	50.80	1.40	199.7	0.375
10940	1.00	25.40	2.00	50.80	1.57	200.1	0.419
32361	1.00	25.40	2.00	50.80	1.59	199.3	0.425
UC081616	1.00	25.40	2.00	50.80	1.60	201.2	0.425
UC255023	1.00	25.40	2.00	50.80	2.30	198.6	0.605
EC257012	1.00	25.40	2.76	70.00	1.20	293.2	0.385
UC082411	1.00	25.40	3.00	76.20	1.10	251.9	0.372
UC082412	1.00	25.40	3.00	76.20	1.20	251.6	0.405
MCH 782515	1.00	25.40	3.07	78.00	1.50	253.0	0.508
EC258012	1.00	25.40	3.15	80.00	1.20	259.2	0.418
MCH80130	1.00	25.40	3.17	80.60	1.30	260.2	0.454
F7765	1.00	25.40	3.17	80.60	1.20	260.4	0.420
LU214	1.00	25.40	3.23	82.00	1.20	262.4	0.435
LU204	1.00	25.40	3.23	82.00	1.30	261.8	0.510
UC082614	1.00	25.40	3.23	82.00	1.40	262.8	0.493
MCH1001	1.00	25.40	3.23	82.00	1.90	261.8	0.664
MCH14115	1.00	25.40	4.00	101.60	1.59	301.6	0.642
MCH10128	1.00	25.40	4.00	101.60	2.80	299.2	1.114
32512	1.18	30.00	1.57	40.00	3.00	194.0	0.767
32241	1.19	30.30	2.40	60.96	3.66	392.2	3.159
MCH183312	1.30	33.00	0.74	18.68	1.20	167.0	0.268
I0001-04	1.46	37.00	6.10	155.00	1.70	454.6	1.039
MCH783815	1.50	38.00	3.07	78.00	1.50	305.0	0.614

ST PRO ALUMINIUM SDN BHD




UNEQUAL CHANNELS


SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	MM	MM	Kg/m
MCH1033815	1.50	38.00	4.06	103.00	1.50	355.0	0.715
UC382520	1.50	38.10	1.00	25.40	2.00	199.2	0.529
30364	1.50	38.10	1.18	30.00	2.00	205.0	0.552
UC121628	1.50	38.10	2.00	50.80	2.80	248.4	0.921
UC385311	1.50	38.10	2.10	53.34	1.14	255.8	0.393
UC385425	1.50	38.10	2.14	54.36	1.27	257.5	0.441
ME133-07	1.50	38.10	2.16	54.80	2.00	258.0	0.688
MUC130951	1.54	39.00	1.14	29.00	5.10	182.6	1.114
ME241	1.97	50.00	0.98	25.00	1.59	246.8	0.525
MCH2025	1.97	50.00	1.97	50.00	2.50	295.0	0.982
ME8950	1.97	50.00	3.58	91.00	1.50	379.0	0.764
14610	2.00	50.80	2.00	50.80	4.90	295.0	1.894
UC8039	2.00	50.80	2.50	63.50	1.50	327.2	0.659
36216	2.00	50.80	3.00	76.20	6.00	341.9	2.698
MCH601	2.00	50.80	4.00	101.60	10.00	386.4	4.965
30363	2.76	70.00	1.22	32.00	3.00	338.0	1.350
33947	3.70	93.30	2.36	59.85	1.30	490.0	0.862
MCH14	3.94	100.00	3.94	100.00	2.00	596.0	1.604




SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
MRT 0006	0.24	6.00	1.00	18.9	0.043
13033	0.25	6.30	1.42	19.8	0.059
14344	0.31	6.80	1.00	21.4	0.049
14345	0.31	7.80	1.20	24.5	0.067
MRT 8140	0.31	8.00	4.20	25.1	0.079
MRT 01	0.32	8.10	1.10	25.4	0.066
MRT 2002	0.37	9.50	1.00	29.8	0.072
RT2002	0.38	9.53	1.00	29.9	0.073
MRT1003	0.38	9.60	1.20	30.2	0.086
MRT01110	0.41	10.50	1.00	29.8	0.081
MRT0009	0.44	11.10	1.45	34.9	0.119
ORT2001	0.47	12.00	1.60	37.7	0.142
MRT1218	0.47	12.00	1.80	37.7	0.156
MRT1004	0.50	12.60	3.20	39.6	0.256
MRT 410	0.50	12.70	1.00	39.9	0.099
MRT429	0.50	12.70	2.90	40.0	0.242
MRT 430	0.50	12.70	3.00	39.9	0.248
RT1326	0.51	13.00	2.60	40.8	0.230
31321	0.57	14.50	1.75	45.6	0.198
12538	0.62	15.70	1.00	49.3	0.125
MRT1001	0.63	15.80	0.80	49.6	0.102
MRT 1512	0.63	15.88	1.20	49.9	0.150
ORT2013	0.63	16.00	1.20	50.3	0.151
MRT161461	0.63	16.00	1.42	50.3	0.176
MRT3146	0.63	16.00	1.60	50.3	0.196
MRT1630	0.63	16.00	3.00	50.3	0.332
MRT1050	0.67	17.00	4.00	53.4	0.443
MRT2641	0.69	17.50	4.05	55.0	0.480
MRT 1910	0.75	19.00	1.00	59.7	0.153
MRT19121195	0.75	19.00	1.20	59.7	0.182
MRT1916	0.75	19.00	1.60	59.7	0.237
MRT1930	0.75	19.00	3.00	59.7	0.409
RT1909	0.75	19.05	0.90	59.9	0.139
MRT 003	0.75	19.05	1.00	59.9	0.154
RT0611	0.75	19.05	1.10	59.9	0.168
MRT 004	0.75	19.05	1.59	59.9	0.237
32240	0.75	19.05	1.80	59.9	0.265
RT2061	0.75	19.05	3.00	59.9	0.410
MRT12061	0.75	19.05	4.76	60.0	0.579
MRT201665	0.79	20.00	1.60	62.8	0.251
MRT2050	0.81	20.50	2.00	64.4	0.340
30367	0.84	21.35	1.50	67.1	0.254




SECTION NO.	OD SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
MRT5130	0.87	22.00	0.90	69.0	0.162
MRT3147	0.87	22.00	1.50	69.0	0.262
MRT 22032	0.87	22.00	3.17	69.1	0.508
MRT3148	0.87	22.20	1.25	69.7	0.223
MRT7018	0.87	22.20	1.80	69.7	0.313
MRT12062	0.87	22.20	4.75	69.7	0.706
MRT 701B	0.88	22.23	1.80	69.8	0.313
35099	0.88	22.25	1.60	69.9	0.282
RT0712	0.89	22.55	1.20	70.8	0.220
MRT192-18	0.95	24.20	1.00	76.0	0.198
MRT2911	0.98	25.00	1.50	78.5	0.300
MRT 251665	0.98	25.00	1.60	78.5	0.319
ORT2006	0.98	25.00	3.00	78.5	0.562
MRT 150	0.98	25.00	4.75	78.5	0.819
MRT 006	1.00	25.40	1.00	79.8	0.208
RT2516	1.00	25.40	1.60	79.8	0.324
MRT9246	1.00	25.40	1.80	80.0	0.362
30366	1.00	25.40	2.00	79.8	0.399
RT2047	1.00	25.40	2.90	79.8	0.556
30859	1.00	25.40	3.18	79.8	0.603
RT2062	1.00	25.40	4.50	79.8	0.802
MRT 2795	1.00	25.60	1.60	80.4	0.328
MRT824	1.03	26.10	2.05	82.0	0.420
MRT2796	1.05	26.60	1.70	83.6	0.360
30872	1.10	28.00	2.50	88.0	0.545
MRT 25	1.13	28.80	1.40	90.5	0.327
MRT3149	1.13	28.80	1.55	90.5	0.360
MRT2920	1.13	29.00	2.00	91.1	0.460
MRT2930	1.13	29.00	3.00	91.1	0.664
30365	1.16	29.45	2.00	92.5	0.467
MRT04-035N	1.18	30.00	1.80	99.2	0.432
RT2018	1.25	31.75	1.10	99.8	0.287
RT2019	1.25	31.75	1.20	99.8	0.312
MRT013-009	1.25	31.75	1.50	99.7	0.386
34774	1.25	31.75	1.60	99.8	0.412
11179	1.25	31.75	1.87	100.0	0.477
32239	1.25	31.75	3.20	99.8	0.781
RT2048	1.25	31.75	4.50	99.8	1.045
MRT32140	1.26	32.00	1.40	100.5	0.365
MRT32A	1.26	32.00	1.60	100.5	0.414
MRT3236	1.26	32.00	3.00	100.5	0.741
30380	1.30	33.00	1.40	103.7	0.377




SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
MRT2948	1.30	33.00	1.50	104.0	0.402
MRT 33155	1.30	33.00	1.55	103.7	0.415
MRT 3316	1.30	33.00	1.60	103.7	0.428
RT1120	1.31	33.25	1.95	104.6	0.520
33945	1.31	33.30	1.70	104.6	0.459
RT33 X 165	1.32	33.50	1.65	105.2	0.447
MRT3317	1.32	33.50	1.70	105.2	0.460
MRT5179	1.32	33.50	1.80	105.2	0.486
RT33 X 185	1.32	33.50	1.85	105.2	0.499
ME184-07	1.34	34.00	1.55	106.8	0.428
HP03	1.34	34.00	1.60	106.8	0.441
34770	1.39	35.35	1.47	111.1	0.426
33143	1.41	36.00	1.50	113.1	0.442
MRT 32	1.42	36.05	1.55	113.3	0.455
30379	1.46	37.00	1.40	116.2	0.424
MRT37	1.46	37.00	1.50	116.2	0.467
MRT013-008	1.46	37.10	1.60	116.5	0.484
MRT 38155	1.50	38.00	1.55	119.4	0.481
MRT3816	1.50	38.00	1.60	120.0	0.496
33905	1.50	38.00	1.70	119.4	0.527
30776	1.50	38.00	1.90	119.4	0.586
MRT-M7864	1.50	38.00	7.50	120.0	2.013
MRT1410	1.50	38.10	1.00	120.0	0.316
RT2026	1.50	38.10	1.20	119.7	0.377
MRT3815	1.50	38.10	1.47	120.0	0.458
MRT184-06	1.50	38.10	1.52	174.7	0.473
HP 02	1.50	38.10	1.57	119.7	0.488
MRT3817	1.50	38.10	1.70	120.0	0.527
30719	1.50	38.10	3.00	119.7	0.897
32238	1.50	38.10	3.20	119.7	0.954
MRT 38365	1.50	38.10	3.25	119.7	0.964
RT2057	1.50	38.10	4.50	119.7	1.289
RT2054	1.50	38.10	5.90	159.6	0.630
RT38 X 165	1.51	38.45	1.65	120.8	0.517
RT3817	1.51	38.45	1.70	120.8	0.532
MRT5180	1.51	38.45	1.80	120.8	0.562
RT38 X 185	1.51	38.45	1.85	120.8	0.577
MRT3916	1.54	39.00	1.60	122.5	0.510
MRT40365	1.57	40.00	3.00	125.7	0.945
MRT9247	1.59	40.50	1.80	127.2	0.593
30441	1.63	41.40	1.60	130.1	0.543
RT2055	1.66	42.16	4.85	132.5	1.542




SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
HP04	1.67	42.30	1.60	132.9	0.554
MRT4217	1.68	42.56	1.70	133.7	0.591
MRT4316	1.69	43.00	1.60	135.1	0.564
MRT4081	1.69	43.00	1.65	135.1	0.581
MRT2817	1.69	43.00	1.70	135.1	0.598
MRT4317	1.69	43.00	1.72	135.1	0.604
MRT4078	1.69	43.00	1.75	135.1	0.615
MRT4318	1.69	43.00	1.80	135.1	0.631
MRT-F7864	1.69	43.00	8.00	135.1	2.384
30387	1.72	43.80	1.40	137.6	0.506
34950	1.75	44.40	1.65	139.5	0.603
HP01	1.75	44.45	1.60	139.6	0.585
MRT44325	1.75	44.45	3.25	139.6	1.136
RT2049	1.75	44.45	4.50	139.6	1.532
MRT1119	1.76	44.60	1.73	140.1	0.649
34769	1.76	44.65	1.47	140.3	0.542
MRT4550	1.79	45.50	1.60	142.9	0.598
MRT7865	1.81	46.00	7.50	144.5	2.458
MRT7865A	1.81	46.00	8.50	144.5	2.795
RT4836	1.90	48.26	3.68	151.6	1.400
MRT094-04	1.90	48.30	4.47	151.7	1.668
MRT48426	1.91	48.40	2.60	152.0	1.014
MRT48445	1.91	48.40	4.47	152.0	1.672
30362	1.91	48.50	11.75	152.4	3.676
ORT2010	1.97	50.00	1.60	157.1	0.659
MRT50365	1.97	50.00	3.00	157.1	1.200
MRTS50556	1.97	50.00	5.00	157.0	1.916
RT2037	2.00	50.80	1.50	159.6	0.630
RT2036	2.00	50.80	2.80	159.6	1.144
RT2060	2.00	50.80	2.90	159.6	1.184
MRT 019	2.00	50.80	3.18	159.6	1.289
RT2064	2.00	50.80	4.50	159.6	1.776
RT2050	2.00	50.80	6.00	159.6	2.290
MRT7866	2.13	54.00	10.00	171.5	3.885
MRT 60265	2.36	60.00	2.00	188.5	0.988
MRT 6025	2.36	60.00	2.50	188.5	1.223
MRT6036	2.36	60.00	3.00	188.0	1.456
ORT2015	2.36	60.00	5.00	188.5	2.343
MRT2416	2.50	63.50	1.59	199.5	0.838
MRT63540	2.50	63.50	4.00	199.5	2.026
RT2051	2.50	63.50	6.00	199.5	2.940
RT2056	2.50	63.50	9.52	199.5	4.379



SECTION NO.	OD SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
MRT7867	2.52	64.00	15.00	201.0	6.570
MRT3030	3.00	76.20	3.00	239.0	1.870
MRT76238	3.00	76.20	3.80	239.0	2.342
MRT6265	3.00	76.20	4.75	239.0	2.890
MRT76250	3.00	76.20	5.00	239.0	3.031
RT2052	3.00	76.20	5.90	239.4	3.534
ORT2014	3.15	80.00	2.00	251.3	1.328
MRT11701	3.18	81.00	1.50	254.5	1.015
32247	3.50	88.90	4.75	279.3	3.416
31668	3.94	100.00	2.50	314.2	2.083
ORT2012	3.94	100.00	3.00	314.2	2.477
MRT101616	4.00	101.60	1.60	319.2	1.362
RT2046	4.00	101.60	3.00	319.2	2.518
RT2053	4.00	101.60	6.00	319.2	4.888
MRT016	4.04	102.50	2.50	322.0	2.128
MRT11433	4.47	113.60	3.30	356.9	3.099
02460	4.50	114.30	3.00	359.08	2.845
02310	4.50	114.30	3.05	359.08	2.890
32237	4.50	114.30	4.20	359.08	3.951
02569	4.50	114.30	4.75	359.08	4.435
02402	4.50	114.30	6.00	359.08	5.537
02305	4.50	114.30	6.02	359.08	5.554
02452	4.50	114.30	6.35	359.08	5.842
02333	4.50	114.30	8.56	359.08	7.714
02453	4.50	114.30	9.52	359.08	8.501
02438	4.50	114.30	12.70	359.08	10.996
02307	5.00	127.00	2.80	398.98	2.963
02437	5.00	127.00	3.00	398.98	3.170
02496	5.00	127.00	3.18	398.98	3.356
02319	5.00	127.00	4.75	398.98	4.949
02434	5.00	127.00	6.00	398.98	6.187
02417	5.00	127.00	6.35	398.98	6.529
02454	5.00	127.00	9.52	398.98	9.531
02405	5.00	127.00	12.70	398.98	12.371
02346	5.00	127.00	25.40	398.98	21.992
02367	5.50	139.70	3.18	438.88	3.700
02458	5.50	139.70	6.00	438.88	6.836
02455	5.50	139.70	9.52	438.88	10.561
02439	5.50	139.70	12.70	438.88	13.745
02375	5.56	141.30	6.55	443.91	7.522
02377	5.56	141.30	9.53	443.91	10.702
02433	5.90	150.00	5.00	471.24	6.178




SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
02429	5.90	150.00	20.00	471.24	22.157
02596	5.98	152.00	6.35	477.52	7.882
02497	6.00	152.40	3.18	478.78	4.044
02561	6.00	152.40	6.35	478.78	7.903
02456	6.00	152.40	9.52	478.78	11.592
02406	6.00	152.40	12.70	478.78	15.119
02372	6.00	152.40	25.40	478.78	27.490
02482	6.29	160.00	10.00	502.65	12.782
02132	6.62	168.28	3.40	528.67	4.791
02493	6.62	168.28	7.11	528.67	9.765
02441	6.69	170.00	10.00	534.07	13.635
02591	7.00	177.80	6.35	558.58	9.278
02348	7.00	177.80	12.70	558.58	17.869
02435	7.08	180.00	4.00	565.49	6.000
02592	7.50	190.50	6.35	598.47	9.965
02430	7.87	200.00	10.00	628.32	16.192
02593	8.00	203.20	6.35	598.47	10.625
02368	8.00	203.20	12.70	638.37	20.618
02396	8.62	219.08	8.18	688.24	14.699
02391	8.62	219.10	8.18	688.32	14.703
02390	8.62	219.10	12.70	688.32	22.338
02369	9.00	228.60	12.70	718.17	23.367
02594	9.39	238.60	6.35	749.58	12.568
02595	10.00	254.00	6.35	797.96	13.401
02370	10.00	254.00	12.70	797.96	26.116
02389	10.74	273.10	9.30	857.97	20.907



SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
SH4038	0.50	12.70	0.80	50.28	0.103
33088	0.50	12.70	1.00	50.29	0.127
CLT1010	0.59	15.00	1.50	60.00	0.220
SH0512	0.63	15.88	1.24	63.00	0.197
SH4005	0.63	15.88	1.50	63.50	0.246
MSH5516	0.63	15.88	1.59	64.00	0.246
MSH558	0.74	18.80	1.00	74.70	0.193
SH4039	0.75	19.05	0.80	76.20	0.158
SH0610	0.75	19.05	1.00	76.20	0.196
SH4008	0.75	19.05	1.50	76.20	0.285
SH1916	0.75	19.05	1.65	76.20	0.311
SH0620	0.75	19.05	2.00	75.68	0.369
SH4009	0.75	19.05	2.50	76.20	0.449
OSH4001	0.79	20.00	3.00	79.49	0.553
MSH3311	0.98	24.90	1.00	99.60	0.259
OSH4012	0.98	25.00	1.60	99.49	0.406
SH2525	0.98	25.00	2.50	100.00	0.610
OSH4002	0.98	25.00	3.00	99.49	0.715
SH2508	1.00	25.40	0.80	101.60	0.214
MSH 2508	1.00	25.40	0.90	101.60	0.239
SH4013	1.00	25.40	1.00	101.60	0.264
OSH4010	1.00	25.40	1.20	101.09	0.315
SH0815	1.00	25.40	1.50	101.60	0.389
MSH 005	1.00	25.40	1.59	101.60	0.416
SH4017	1.00	25.40	2.00	101.60	0.507
MSH 2530	1.00	25.40	3.00	101.60	0.728
SH2531	1.00	25.40	3.18	101.60	0.763
MRH303018	1.18	30.00	1.80	120.00	0.550
SH1012	1.25	31.75	1.20	127.00	0.397
36133	1.25	31.75	2.80	126.14	0.880
SH3131	1.25	31.75	3.18	127.00	0.984
OSH4003	1.26	32.00	1.60	127.49	0.527
OSH4004	1.26	32.00	3.00	127.49	0.943
SH3809	1.50	38.10	0.90	152.40	0.363
SH1210	1.50	38.10	1.00	152.40	0.403
SH1211	1.50	38.10	1.10	152.40	0.441
SH4021	1.50	38.10	1.15	152.40	0.461
SH3812	1.50	38.10	1.20	152.40	0.480
SH4022	1.50	38.10	1.30	152.40	0.519
SH4041	1.50	38.10	1.50	151.89	0.596
36215	1.50	38.10	2.90	151.54	1.108
32246	1.50	38.10	3.00	151.89	1.145

ST PRO ALUMINIUM SDN BHD


SQUARE HOLLOW



SECTION NO.	OD SIZE		T	PERIMETER	WEIGHT
	INCH	MM			
MSHB404016	1.57	40.00	1.60	160.00	0.664
MSHB4040265	1.57	40.00	2.00	160.00	0.824
OSH4011	1.57	40.00	2.50	159.49	1.016
MSHB4040365	1.57	40.00	3.00	160.00	1.203
MSH8805	1.65	42.00	1.50	168.00	0.659
31540	1.97	50.00	1.20	200.00	0.637
MSH 505016	1.97	50.00	1.60	200.00	0.839
MSH 50502	1.97	50.00	2.00	200.00	1.041
MSH 505025	1.97	50.00	2.50	200.00	1.287
MSHB5050365	1.97	50.00	3.00	200.00	1.528
30804	2.00	50.80	1.00	202.69	0.541
MSH 161611	2.00	50.80	1.10	203.20	0.593
SH1612	2.00	50.80	1.20	203.20	0.645
SH1613	2.00	50.80	1.30	203.20	0.700
MSH2015	2.00	50.80	1.50	203.00	0.802
SH1620	2.00	50.80	2.00	203.20	1.058
36134	2.00	50.80	2.90	202.34	1.509
MSH635	2.36	60.00	3.00	240.00	1.851
SH6320	2.50	63.50	2.00	254.00	1.333
OSH4009	2.55	65.00	2.50	259.49	1.694
MSHB70701665	2.76	70.00	1.60	280.00	1.186
31548	2.95	75.00	1.20	300.00	0.964
SH7518	2.95	75.00	1.80	300.00	1.428
OSH4013	2.95	75.00	3.00	299.49	2.341
SH2412	3.00	76.20	1.20	304.80	0.976
SH2418	3.00	76.20	1.80	304.80	1.453
MSH4034	3.00	76.20	3.00	305.00	2.380
SH4018	3.00	76.20	4.50	303.94	3.500
02774	3.14	80.00	4.00	319.14	3.298
03016	3.14	80.00	6.00	319.14	4.818
02989	3.50	88.90	6.35	319.14	4.818
03055	3.54	90.00	2.00	354.74	5.688
03058	3.93	100.00	1.70	399.48	1.813
02786	3.93	100.00	2.00	399.48	2.127
33009	3.93	100.00	3.00	399.31	3.166
32245	3.98	101.30	6.00	404.69	6.221
SH10115	4.00	101.60	1.50	406.40	1.628
02788	4.00	101.60	2.00	405.88	2.161
SH3220	4.00	101.60	2.00	406.40	2.159
02784	4.00	101.60	2.80	405.88	3.002
02735	4.00	101.60	3.00	405.88	3.209
02969	4.00	101.60	3.05	405.88	3.259


ST PRO ALUMINIUM SDN BHD

SQUARE HOLLOW



SECTION NO.	OD SIZE		T MM	PERIMETER MM	WEIGHT Kg/m
	INCH	MM			
02745	4.00	101.60	3.18	405.54	3.396
SH10131	4.00	101.60	3.18	406.40	3.393
02929	4.00	101.60	4.78	405.54	5.016
02744	4.00	101.60	6.35	405.54	6.562
02988	4.00	101.60	12.70	405.54	12.250
34316	4.92	125.00	2.00	500.00	2.676
02766	5.00	127.00	3.00	506.63	4.036
02733	5.00	127.00	3.00	507.48	4.036
02767	5.00	127.00	6.35	506.63	8.313
35416	6.00	152.40	3.00	609.60	4.876
02759	6.00	152.40	3.18	609.08	5.149
02798	6.00	152.40	6.00	608.74	9.531
03042	6.00	152.40	6.35	608.74	10.063
03053	7.40	188.00	3.00	751.14	6.022
03061	7.87	200.00	3.50	799.36	7.462


ST PRO ALUMINIUM SDN BHD



RECTANGULAR HOLLOW

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
MCT 10	0.30	7.50	0.79	20.00	1.00	55.0	0.139
RH082008	0.31	8.00	0.79	20.00	0.80	56.0	0.115
MRH 001	0.31	8.00	0.98	25.00	1.00	66.0	0.168
RH3000	0.39	10.00	0.78	20.00	1.50	60.0	0.220
MRH033211 (B)	0.43	11.00	3.94	100.00	1.10	222.0	0.701
RH113912	0.46	11.80	1.54	39.00	1.20	101.6	0.315
MRH1412	0.47	12.00	0.98	25.00	1.20	74.0	0.225
MRH12381	0.47	12.00	1.49	38.00	1.00	100.0	0.260
31176	0.47	12.00	2.95	75.00	1.50	174.0	0.686
MRH043209	0.47	12.00	3.94	100.00	0.90	224.0	0.538
RH3002	0.47	12.70	1.00	25.40	0.80	76.2	0.158
MRH 1409	0.50	12.70	1.00	25.40	0.90	76.2	0.178
MRH 1410	0.50	12.70	1.00	25.40	1.00	76.2	0.196
RH3001	0.50	12.70	1.00	25.40	1.10	76.2	0.214
31440	0.50	12.70	1.57	40.00	1.20	120.7	0.329
RH041609	0.50	12.70	2.00	50.80	0.90	126.5	0.301
MRH4210	0.50	12.70	2.00	50.80	1.00	127.0	0.333
RH041612	0.50	12.70	2.00	50.80	1.20	127.0	0.398
RH3046	0.50	12.70	2.00	50.80	1.50	126.5	0.492
MRH136011	0.51	13.00	2.36	60.00	1.10	146.0	0.422
RH3033	0.50	13.50	1.02	26.00	1.20	78.5	0.245
30966	0.53	13.50	1.02	26.00	2.20	76.4	0.415
15455	0.57	14.50	0.78	19.80	1.00	68.6	0.175
MRH051009	0.59	15.00	1.25	31.75	0.90	93.0	0.219
MRH155085	0.59	15.00	1.97	50.00	0.85	130.0	0.292
32205	0.59	15.00	2.75	70.00	1.00	169.5	0.451
MRH053209 (A)	0.59	15.00	3.92	99.60	0.90	228.7	0.550
MRH582	0.62	15.88	2.00	50.80	1.00	133.4	0.351
MRH051009 (A)	0.63	16.00	1.25	31.75	0.90	95.0	0.224
MRH051630	0.63	16.00	1.97	50.00	3.00	132.0	0.976
RH051609	0.63	16.00	2.00	50.80	0.90	133.1	0.317
RH051610	0.63	16.00	2.00	50.80	1.00	133.6	0.351
RH583 (B)	0.63	16.00	3.00	76.20	0.95	184.4	0.480
MRH053209	0.59	16.00	3.94	100.00	0.90	231.5	0.557
RH58499 (B)	0.63	16.00	3.94	100.00	1.00	232.0	0.560
32847	0.64	16.30	2.59	66.00	1.00	164.1	0.437
MRH1775	0.67	17.00	2.95	75.00	1.05	184.0	0.512
RH061208	0.75	19.00	1.50	38.10	0.80	113.7	0.241
MRH10609	0.75	19.05	1.25	31.75	0.90	102.0	0.239
RH061010	0.75	19.05	1.25	31.75	1.00	101.6	0.264
RH3013	0.75	19.05	1.50	38.10	0.90	101.7	0.248
RH061210	0.75	19.05	1.50	38.10	1.00	114.3	0.300
31958	0.75	19.05	1.50	38.10	1.30	101.7	0.341


ST PRO ALUMINIUM SDN BHD



RECTANGULAR HOLLOW

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
RH3006	0.75	19.05	1.75	44.45	0.90	126.5	0.301
MRH 6141	0.75	19.05	1.75	44.45	1.00	127.0	0.333
MRH 330	0.75	19.05	2.00	50.80	0.90	139.7	0.332
33254	0.75	19.05	2.00	50.80	1.00	139.2	0.369
RH6839 (B)	0.75	19.05	3.00	76.20	0.95	190.5	0.506
RH68490 (B)	0.75	19.05	3.94	100.00	0.95	238.1	0.594
RH1910011	0.75	19.05	3.94	100.00	1.10	238.1	0.697
RH6850 (B)	0.75	19.05	4.92	125.00	1.20	292.1	0.988
MRH071310	0.79	20.00	1.57	40.00	1.00	120.0	0.314
32024	0.79	20.00	2.95	75.00	1.20	190.0	0.605
MRH950	0.79	20.00	3.94	100.00	0.90	240.0	0.577
31928	0.79	20.00	4.00	101.60	1.20	243.2	0.778
ORH3008	0.98	25.00	1.97	50.00	1.20	149.5	0.474
MRHB50251665	0.98	25.00	1.97	50.00	1.60	150.0	0.623
ORH3001	0.98	25.00	1.97	50.00	2.50	149.5	0.949
MRHB5025365	0.98	25.00	1.97	50.00	3.00	150.0	1.122
31545	0.98	25.00	2.75	70.00	1.00	190.0	0.506
MRH02510012	0.98	25.00	3.94	100.00	1.15	250.0	0.765
35633	0.98	25.00	3.94	100.00	1.50	250.0	0.996
MRHB100251665	0.98	25.00	3.94	100.00	1.60	250.0	1.056
MRH1002518	0.98	25.00	3.94	100.00	1.85	250.0	1.216
MRH1002525	0.98	25.00	3.94	100.00	2.50	250.0	1.626
33007	0.98	25.00	3.94	100.00	3.00	249.3	1.942
RH3048	0.98	25.00	3.94	125.00	2.00	300.0	1.588
MRH 2515015	0.98	25.00	5.91	150.00	1.50	350.0	1.398
32284	0.98	25.00	7.87	200.00	2.30	449.5	2.757
MRH 81209	1.00	25.40	1.50	38.10	0.90	127.0	0.301
MRH 11410	1.00	25.40	1.50	38.10	1.00	127.0	0.333
33507	1.00	25.40	1.50	38.10	1.30	127.0	0.431
MRH 11415	1.00	25.40	1.50	38.10	1.50	126.5	0.492
RH3041	1.00	25.40	1.50	38.10	2.00	126.1	0.646
36230	1.00	25.40	1.50	38.10	2.90	126.1	0.907
RH3014	1.00	25.40	1.50	38.10	3.00	127.0	0.935
MRH44251	1.00	25.40	1.75	44.45	1.00	139.7	0.368
MRH 15010	1.00	25.40	1.97	50.00	1.00	150.8	0.398
MRH 005A	1.00	25.40	2.00	50.80	0.90	152.4	0.363
RH3016	1.00	25.40	2.00	50.80	1.00	152.4	0.402
RH081611	1.00	25.40	2.00	50.80	1.10	152.4	0.441
MRH 12012	1.00	25.40	2.00	50.80	1.20	152.4	0.480
RH255015	1.00	25.40	2.00	50.80	1.50	152.4	0.595
MRH 1416	1.00	25.40	2.00	50.80	1.60	152.4	0.633
RH3018	1.00	25.40	2.00	50.80	2.00	152.4	0.783
36137	1.00	25.40	2.00	50.80	2.80	151.5	1.073


ST PRO ALUMINIUM SDN BHD



RECTANGULAR HOLLOW

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	MM	MM	Kg/m
RH3020	1.00	25.10	2.00	50.80	3.00	152.4	1.142
RH255031	1.00	25.40	2.00	50.80	3.18	152.4	1.208
MRH 7249	1.00	25.40	2.50	63.50	0.90	177.8	0.425
RH3021	1.00	25.40	2.50	63.50	0.95	177.3	0.448
RH256310	1.00	25.40	2.50	63.50	1.00	177.8	0.471
RH082011	1.00	25.40	2.50	63.50	1.10	177.8	0.517
MRH 1309	1.00	25.40	3.00	76.20	0.90	203.2	0.487
RH3022	1.00	25.40	3.00	76.20	1.00	203.2	0.540
MRH 008	1.00	25.40	3.00	76.20	1.10	203.2	0.593
MRH 1312	1.00	25.40	3.00	76.20	1.20	203.2	0.645
MRH 1315	1.00	25.40	3.00	76.20	1.50	203.2	0.802
MRH 1320	1.00	25.40	3.00	76.20	2.00	203.2	1.058
MRHB76252465	1.00	25.40	3.00	76.20	2.36	203.0	1.239
RH082428	1.00	25.40	3.00	76.20	2.80	203.2	1.457
RH3026	1.00	25.40	3.00	76.20	3.00	203.2	1.555
RH083209	1.00	25.40	4.00	101.60	0.90	253.5	0.610
RH083210	1.00	25.40	4.00	101.60	1.00	254.0	0.678
MRH 14105	1.00	25.40	4.00	101.60	1.05	254.0	0.711
MRH-14110	1.00	25.40	4.00	101.60	1.10	254.0	0.744
RH2510112	1.00	25.40	4.00	101.60	1.20	254.0	0.810
30419	1.00	25.40	4.00	101.60	1.30	254.0	0.877
MRH 14015	1.00	25.40	4.00	101.60	1.40	254.0	0.942
RH2510115	1.00	25.40	4.00	101.60	1.50	254.0	1.008
MRH6794	1.00	25.40	4.00	101.60	2.80	254.0	1.842
RH084012	1.00	25.40	5.00	127.00	1.20	304.8	0.980
RH2512713	1.00	25.40	5.00	127.00	1.30	304.8	1.056
RH3031	1.00	25.40	6.00	152.40	1.50	354.7	1.426
34262	1.12	28.50	1.41	36.00	1.50	129.0	0.502
RH305012	1.18	30.00	1.97	50.00	1.20	160.0	0.505
MRH503018	1.18	30.00	1.97	50.00	1.80	160.0	0.745
ME052-10	1.18	30.00	2.36	60.00	2.50	180.0	1.152
30778	1.18	30.00	2.75	70.00	2.50	194.9	1.274
MRH1003012	1.18	30.00	3.94	100.00	1.20	260.0	0.803
RH3010026	1.18	30.00	3.94	100.00	2.60	260.0	1.759
MRH1503018	1.18	30.00	5.91	150.00	1.80	360.0	1.721
RH101611	1.25	31.75	2.00	50.80	1.10	165.1	0.480
MRH121911	1.50	38.00	2.36	60.00	1.10	196.0	0.571
MRH122009	1.50	38.00	2.56	65.00	0.90	205.5	0.493
MRH5156	1.50	38.00	2.99	76.00	3.00	228.0	1.756
32509	1.50	38.00	3.94	100.00	1.50	276.0	1.102
MRH003	1.50	38.00	4.92	125.00	A1.80/B1.60	326.0	1.424
33163	1.50	38.10	2.00	50.80	1.10	177.3	0.518
RH121612	1.50	38.10	2.00	50.80	1.20	177.8	0.563


ST PRO ALUMINIUM SDN BHD



RECTANGULAR HOLLOW

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM			
MRH385019	1.50	38.10	2.00	50.80	1.95	177.8	0.898
RH121620	1.50	38.10	2.00	50.80	2.00	177.8	0.920
MRH38761	1.50	38.10	3.00	76.20	1.00	228.6	0.609
32023	1.50	38.10	3.00	76.20	1.20	228.6	0.730
RH122428	1.50	38.10	3.00	76.20	2.80	228.6	1.650
RH122432	1.50	38.10	3.00	76.20	3.20	228.6	1.862
31905	1.50	38.10	4.00	101.60	1.30	279.4	0.970
ORH3003	1.57	40.00	2.36	60.00	3.00	199.5	1.528
RH407510	1.57	40.00	2.95	75.00	1.00	230.0	0.612
ORH3004	1.57	40.00	3.15	80.00	3.00	239.5	1.854
MRH 044	1.75	44.45	3.00	76.20	1.00	241.3	0.643
SF606	1.75	44.45	3.00	76.20	1.10	240.8	0.706
MRH 012	1.75	44.45	3.00	76.20	1.20	241.3	0.769
SF641	1.75	44.45	3.00	76.20	1.30	240.8	0.835
MRH015	1.75	44.45	3.00	76.20	1.50	241.0	0.956
RH142420	1.75	44.45	3.00	76.20	2.00	241.3	1.264
RH142428	1.75	44.45	3.00	76.20	2.80	241.3	1.746
RH143211	1.75	44.45	4.00	101.60	1.10	292.1	0.859
MRH 4412	1.75	44.45	4.00	101.60	1.20	292.1	0.934
RH143215	1.75	44.45	4.00	101.60	1.50	292.1	1.163
12557	1.75	44.45	4.00	101.60	2.00	292.3	1.541
33635	1.75	44.45	5.00	127.00	1.20	342.0	1.103
33194	1.88	48.00	2.88	73.40	1.10	242.8	0.713
MRHB5010166	1.97	50.00	0.39	10.00	1.65	120.0	0.493
MRH 503018	1.97	50.00	1.18	30.00	1.80	160.0	0.745
MRH163211	1.97	50.00	0.94	100.00	1.10	300.0	0.881
MRH 2413	1.97	50.00	3.94	100.00	1.30	300.0	1.039
MRHB100501665	1.97	50.00	3.94	100.00	1.60	300.0	1.273
RH3047	1.97	50.00	3.94	100.00	2.00	300.0	1.588
ORH3006	1.97	50.00	3.94	100.00	3.00	299.5	2.341
MRHB10050365	1.97	50.00	3.94	100.00	3.00	300.0	2.341
RH5012513	1.97	50.00	4.92	125.00	1.30	350.0	1.215
MRH25020	1.97	50.00	4.92	125.00	2.00	350.0	1.854
MRH1505015	1.97	50.00	5.91	150.00	1.50	400.0	1.602
MRH150502	1.97	50.00	5.91	150.00	2.00	400.0	2.123
MRHB15050365	1.97	50.00	5.91	150.00	3.00	400.0	3.154
31994	1.97	50.00	7.87	200.00	2.00	500.0	2.570
ORH3009	1.97	50.00	7.87	200.00	2.25	500.0	2.740
RH3030	2.00	50.80	3.00	76.20	1.20	254.0	0.811
RH507615	2.00	50.80	3.00	76.20	1.50	254.0	1.008
35632	2.00	50.80	3.00	76.20	2.00	253.1	1.338
MRH2323	2.00	50.80	3.00	76.20	2.30	254.0	1.526
MRH004	2.00	50.80	3.00	76.20	2.50	254.0	1.653

ST PRO ALUMINIUM SDN BHD



RECTANGULAR HOLLOW

SECTION NO.	A SIZE		B SIZE		T	PERIMETER	WEIGHT
	INCH	MM	INCH	MM	MM	MM	Kg/m
31312	2.00	50.80	3.00	76.20	2.80	254.0	1.847
MRH2330	2.00	50.80	3.00	76.20	3.00	254.0	1.967
MRH24110	2.00	50.80	4.00	101.60	1.10	305.0	0.895
32751	2.00	50.80	4.00	101.60	1.20	304.8	0.977
31783	2.00	50.80	4.00	101.60	1.30	304.8	1.059
RH3029	2.00	50.80	4.00	101.60	1.50	304.8	1.216
RH163218	2.00	50.80	4.00	101.60	1.80	304.8	1.452
MRH 2420	2.00	50.80	4.00	101.60	2.00	304.8	1.609
MRH 2429	2.00	50.80	4.00	101.60	2.90	304.8	2.304
RH5010130	2.00	50.80	4.00	101.60	3.00	304.8	2.381
RH3042	2.00	50.80	4.00	101.60	5.90	303.9	4.500
30794	2.00	50.80	5.00	127.00	1.20	354.7	1.146
31906	2.00	50.80	5.91	150.00	1.60	401.6	1.720
35610	2.00	50.80	5.91	150.00	5.00	401.6	5.190
RH3044	2.00	50.80	6.00	152.40	2.80	405.9	3.000
31549	2.95	75.00	3.94	100.00	1.30	350.0	1.219
33008	2.95	75.00	3.94	100.00	3.00	349.3	2.758
RH3045	2.95	75.00	0.98	125.00	3.00	339.5	3.154
34809	2.95	75.00	7.87	200.00	2.50	550.0	3.619
34811	2.95	75.00	9.84	250.00	3.00	650.0	4.874
32848	3.00	76.20	5.00	127.00	1.50	406.4	1.634
32209	3.00	76.20	6.00	152.40	1.80	456.7	2.203
RH3035	3.00	76.20	6.00	152.40	3.00	456.7	3.633
32591	3.94	100.00	5.91	150.00	3.00	499.4	3.982
35404	3.94	100.00	7.87	200.00	2.50	600.0	4.012
34810	3.94	100.00	9.84	250.00	3.00	700.0	4.950

